Page : 1/4

Version: 1.1 (16-07-2010)



SAFETY DATA SHEET

1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation:

Name: GRAVOTAC EXTERIOR. Product code: GRAV 016.

Company/undertaking identification:

Registered company name: GRAVOTECH MARKING SAS.

Address: 56, avenue Jean Jaurès.10600.La Chapelle Saint Luc.France. Telephone: +33 (0)3 25 41 65 65. Fax: +33 (0)3 25 79 04 25.

e-mail: info@gravograph.fr http://www.gravograph.com

Emergency telephone: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

2 - HAZARDS IDENTIFICATION

This product is not classified as flammable. Refer to the recommendations regarding the other products present on the site May produce an allergic reaction.

3 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 3: see section 16.

Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

No known substance in this category present.

Substances present at a concentration below the minimum danger threshold:

No known substance in this category present.

Other substances with occupational exposure limits:

No known substance in this category present.

May produce an allergic reaction:

INDEX	CAS	EC	Name	Symb.	R:	%
607-035-00-6	80-62-6	201-297-1	METHYL METHACRYLATE	Xi F	11 37/38 43 Note(s): D	0 <= x % < 1

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

In the event of exposure by inhalation:

In the event of inhalation, move patient to the open air. Keep warm and at rest.

If breathing is irregular or has stopped, proceed with artificial respiration and seek medical attention.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Wash the skin thoroughly with soap and water or a recognised cleaner.

5 - FIRE-FIGHTING MEASURES

Page : 2/4

Version: 1.1 (16-07-2010)

Not relevant.

Special protective equipment for fire-fighters:

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

Consult the safety measures listed under headings 7 and 8.

Environmental precautions:

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Methods for cleaning up:

Collect mechanically the product by the aspiration and/or sweeping.

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

Prohibited equipment and procedures:

Smoking, eating and drinking are prohibited in premises where the preparation is used

Never open the packages under pressure

Storage:

Keep the container tightly closed in a dry place.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

Exposure limit values per INRS ED 984:

France	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
80-62-6	100	410	200	820	-	82

Exposure limit values per 2006/15/CE, 2000/39/EC and 98/24/EC:

EC	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
80-62-6	-	50	-	100	-

Exposure limit values (2003-2006):

Switzerland	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Temps:	RSB:
80-62-6	210	50	420	100	4x15	S
Germany/AGW	AGW:	AGW:	Faktor:	Bemerkungen:		
80-62-6	50 ml/m3	210 mg/m3	2(I)	DFG, Y		
UK/WELs	TWA:	STEL:	Ceiling:	Definition:	Criterion:	
80-62-6	50 ppm	100 ppm	-	-	-	
UK/OES	TWA:	STEL:	Ceiling:	Definition:	Criterion:	
80-62-6	50 ppm	100 ppm	-	-	-	
ACGIH/TLV	TWA:	STEL:	Ceiling:	Definition:	Criterion:	
80-62-6	50 ppm	100 ppm	-	-	-	

Hand protection:

Type of gloves recommended:

- Butvl rubber
- Neoprene

Skin protection:

For further information, see § 11 of S.D.S. - Toxicological information.

9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:

SAFETY DATA SHEET (ECIN 1907/2000)		Page : 3/4		
GRAV016 - GRAVOTAC EXTERIOR		Version : 1.1 (16-07-2010)		
Physical state:	solid			
Important health, safety and environmental informa	ation:			
pH of the substance or preparation:	not relevant.			
The pH is impossible to measure or its value is not r	elevant.			
Flash point interval:	not relevant.			
Vapour pressure:	not relevant.			
Density:	>1			
Density:	1.15 - 1.19			
Water solubility:	Insoluble.			
Other information:				
Self-ignition point/ self-ignition range:	393°C.			

Page : 3/4

10 - STABILITY AND REACTIVITY

SAFETY DATA SHEET (EC Nº1907/2006)

The preparation is stable at the handling and storage conditions recommended per § 7 of the safety data sheet,

Materials to avoid:

Keep away from acids, alkalis and strong oxidizing agents may attack or dissolve the polymer.

11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

Other data:

CAS 80-62-6: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

Other adverse effects:

Germany: WGK 2 (VwVwS vom 17/05/99, KBws)

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

Waste

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

14 - TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2009 - IMDG 2008 - ICAO/IATA 2009).

15 - REGULATORY INFORMATION

Classification by:

So called 'all preparations' Directive 1999/45/EC and its adaptations.

EC regulation 1272/2008 (CLP) and its adaptations (EC regulation 790/2009).

Contains:

Contains 201-297-1 METHYL METHACRYLATE. May produce an allergic reaction.

Particular provisions:

Germany: WGK 2 (VwVwS vom 17/05/99, KBws)

16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

 SAFETY DATA SHEET (EC N°1907/2006)
 Page : 4/4

 GRAV016 - GRAVOTAC EXTERIOR
 Version : 1.1 (16-07-2010)

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

Full text of risk phrases appearing in section 3:

R 11	Highly flammable.	
R 37/38	Irritating to respiratory system and skin.	
R 43	May cause sensitisation by skin contact.	